

VAL audio

Die Liebe zur Musik

**A PREMIER GERMAN
ENGINEERING MARVEL.**

WWW.VALAUDIO.COM



DYNAMIC, POWERFUL AND VERSATILE

IMPECCABLE QUALITY AND CLARITY

CUTTING-EDGE TECHNOLOGY AND A COMMITMENT TO PRECISION.

VAL Audio epitomises technical excellence. Our cutting-edge solutions redefine sonic precision, delivering unparalleled audio experiences. Elevate your sound with VAL Audio's commitment to innovation and quality.

Renowned for pristine sound, our products redefine audio excellence, setting industry standards globally.

VIA audio


CONTENTS

- Line Arrays
- Point Source Speakers
- Integrated Commercial Speakers
- Powered Speakers
- Weatherised Speakers
- Subwoofers
- Professional Amplifiers
- Commercial Amplifiers
- Smart Solutions
- Microphones
- Digital Signal Processor
- Digital Conference System

LINE ARRAYS

VAL AUDIO LINE ARRAY LOUDSPEAKERS OFFER HIGH EFFICIENCY, HIGH POWER HANDLING SOLUTIONS FOR THE MOST DISCERNING VENUE OR TOURING REQUIREMENT.

www.valaudio.com/line-arrays/



WCX15L-500

High performance weatherized coaxial line array loudspeaker


- Components : 1×15" LF, 1×1.4" exit coaxial HF
- Power Handling : 500W RMS
- Impedance : 8 ohm
- Max SPL : 136dB



VLA210HP-ND

Ultra High performance 2-way passive line array loudspeaker

- Components : 2×10" LF, 1.5" exit HF all Neodymium drivers
- Power Handling : 900W RMS
- Impedance : 8 ohm
- Max SPL : 138dB



VLA212HP

Ultra High performance 2-way passive line array loudspeaker

- Components : 2×12" LF, 1.5" exit HF
- Power Handling : 1200W RMS
- Impedance : 4 ohm
- Max SPL : 140dB



WP312

Weatherised 3-way line array loudspeaker

- Components : 2x12" LF, 2 x 1.4" exit coaxial HF+MF neodymium driver
- Power Handling : 800W RMS LF, 300W RMS MF+HF
- Impedance : 8 ohm LF, 16 ohm MF+HF
- Max SPL : LF 136dB, MF+HF 140dB



POINT SOURCE SPEAKERS

VAL AUDIO POINT SOURCE SPEAKERS FEATURE SMOOTH SOUNDING FULL RANGE LOUSPEAKERS.

www.valaudio.com/point-source-speakers/



QX8HP

High performance 2-way full range loudspeaker

- Components : 1×8" LF, 1" exit HF
- Power Handling : 200W RMS
- Impedance : 8 ohm
- Max SPL : 125dB



QX10HP

High performance 2-way full range loudspeaker

- Components : 1×10" LF, 1" exit HF
- Power Handling : 300W RMS
- Impedance : 8 ohm
- Max SPL : 127dB



QX12HP

High performance 2-way full range loudspeaker

- Components : 1×12" LF, 1" exit HF
- Power Handling : 400W RMS
- Impedance : 8 ohm
- Max SPL : 130dB



QX15HP

High performance 2-way full range loudspeaker

- Components : 1×15" LF, 1" exit HF
- Power Handling : 600W RMS
- Impedance : 8 ohm
- Max SPL : 131dB





ZX15HP

Ultra High performance 2-way full range loudspeaker

- Components: 1×15" LF, 1.4" exit HF
- Power Handling : 800W RMS
- Impedance: 8 ohm
- Max SPL : 134dB



ICOMM 8CX

High performance premium passive coaxial monitor speaker

- Components: 1×8" LF, 1.7" HF compression driver, coaxially mounted driver
- Power Handling: 200W RMS / 800W peak
- Impedance: 8 ohm
- High gloss finish



WCX8T

High performance weatherized coaxial loudspeaker

- Components : 1×8" LF, 1×1" exit coaxial HF
- Power Handling : 200W RMS
- Impedance : 8 ohm / 100V LMT in-built
- Max SPL : 124.5dB



WP12CX

High performance weatherized coaxial loudspeaker

- Components: 1×12" LF, 1×1" exit coaxial HF
- Power Handling: 350W RMS
- Impedance: 8 ohm
- Max SPL: 129dB



POINT SOURCE SPEAKERS

VAL audio point source speakers feature smooth sounding full range loudspeakers. Useable out of the box without any DSP or EQ, with or without Subwoofer, premium custom European drivers, high quality HF on CD horn. Our QX and ZX models feature wedge cut socket, birch plywood cabinet, multiple M8 and M10 flying points and touring grade scratch resistant black textured coating. The ZX series is for ultra high performance both for touring and fixed installations.

INTEGRATED COMMERCIAL

VAL AUDIO ICOMM SERIES SHORT FOR INTEGRATED COMMERCIAL IS AIMED AT THE FIXED INSTALLATION MARKET.

www.valaudio.com/integrated-commercial-icomm-series/



ICOMM PA6T

Slim profile full range wall mount PA speaker

- Components : 6" full range driver
- Power Handling : 15W RMS / 60W peak
- 100V operation only, LMT In-built
- High quality ABS cabinet



ICOMM CS4.2T

Two way full range coaxial ceiling speaker

- Components: 1x4" LF, 0.5" dome tweeter
- Power Handling : 25W RMS / 100W peak
- 100V operation only
- LMT in-built



ICOMM CS5.2T

Two way full range coaxial ceiling speaker

- Components : 1x5.25" LF, 0.75" dome tweeter
- Power Handling : 30W RMS / 120W peak
- 8 ohm / 100V operation possible
- LMT in-built



ICOMM CS6.2

High end two way full range coaxial ceiling speaker

- Components : 1x6.5" LF, 1" silk dome tweeter
- Power Handling : 50W RMS / 200W peak
- Impedance : 8 ohm
- LMT version available





ICOMM PS52T

High performance 2-way indoor / outdoor full range pendant speaker

- Components : 1×5" LF, 1" silk dome tweeter
- Power Handling : 50W RMS / 200W peak
- 8 ohm / 100V operation possible, LMT in-built
- Mounting hardware included



ICOMM SMS52T

Two way full range indoor / outdoor surface mount speaker

- Components : 1×5.25" LF, 0.5" tweeter
- Power Handling : 40W RMS / 160W peak
- 8 ohm / 100V operation possible, LMT in-built
- Swivel mounting bracket included



ICOMM SMS62T

Two way full range indoor / outdoor surface mount speaker

- Components : 1×6.5" LF, 1" tweeter
- Power Handling : 60W RMS / 240W peak
- 8 ohm / 100V operation possible, LMT in-built
- Swivel mounting bracket included



ICOMM SMS82T

Two way full range indoor / outdoor surface mount speaker

- Components : 1×8" LF, 1" tweeter
- Power Handling : 100W RMS / 400W peak
- 8 ohm / 100V operation possible, LMT in-built
- Swivel mounting bracket included



ICOMM WM42T

High performance 2-way indoor / outdoor full range speaker

- Components : 1×4" LF, 1×0.8" tweeter
- Power Handling : 40W RMS / 160W peak
- 16 ohm / 100V operation possible, LMT in-built
- Easy mounting ball and Swivel mounting





ICOMM WM62T

High performance 2-way indoor / outdoor full range speaker

- Components : 1x6" LF, 1x1" compression driver
- Power Handling : 80W RMS / 320W peak
- 16 ohm / 100V operation possible, LMT in-built
- Swivel mounting bracket included



ICOMM 8CX

High performance premium passive coaxial monitor speaker

- Components: 1x8" LF, 1.7" HF compression driver, coaxially mounted driver
- Power Handling: 200W RMS / 800W peak
- Impedance: 8 ohm
- High gloss finish



ICOMM PSW200

High performance active subwoofer

- Components : 1x12" LF
- Power Handling : 200W RMS / 800W peak
- Active, amplifier in-built
- Down firing woofer



INTEGRATED COMMERCIAL

VAL audio iComm series short for integrated Commercial is aimed at the fixed Installation market. High-quality, high-performance products, weatherised models with high quality ABS cabinets, internal LMT for 70V/100V easy operation, mounting brackets included for easy installation and only premium components used.



POWERED SPEAKERS

VAL AUDIO X12A, X15CXA, X-LINE12, X-LINE15 AND X118P
OFFERS AN ALL IN ONE POWERED PORTABLE SOLUTION

www.valaudio.com/powerd-speakers/



X12A

Portable powered PA speaker

- Components : 1x12" high-excursion woofer, 1x1.75" dome compression driver
- 700W RMS power output
- Class leading 130dB max SPL
- Integrated DSP, mixer with Bluetooth(TWS), Mic/Line input



X15CXA

Powered coaxial monitor speaker

- Components: 1x15" woofer, 2" HF compression driver
- 1200W Peak / 600W RMS power output
- Class leading 133dB max SPL
- Integrated DSP, mixer, Mic/line input



X-LINE12

Portable powered column array speaker

- Components : 6x3" neodymium drivers, 1x1" high frequency driver, 1x12" subwoofer
- 1000W RMS power output
- Class leading 132dB max SPL
- Integrated DSP mixer with Bluetooth(TWS) Mic/Line input



X-LINE15

Portable powered column array speaker

- Components: 12x3" neodymium drivers, 2x1" high frequency driver, 1x15" subwoofer
- 2500W Peak / 1250W RMS power output
- Class leading 134dB max SPL
- Integrated DSP, mixer with Bluetooth (TWS), Mic/line input



X118P

High performance vented
active subwoofer

- Components: 1x18" LF
- 3000W PEAK / 1500 RMS power output
- Class leading 134 dB max SPL
- Integrated DSP, line input



WEATHERISED SPEAKERS

DESIGNED FOR THE MOST DISCERNING OUTDOOR APPLICATIONS WHERE HIGH SPL AND HQ SOUND REINFORCEMENT IS REQUIRED UNDER OPEN TO SKY APPLICATIONS.

www.valaudio.com/weatherised-series/



WCX8T

High performance weatherized coaxial loudspeaker


- Components : 1×8" LF, 1×1" exit coaxial HF
- Power Handling : 200W RMS
- Impedance : 8 ohm / 100V LMT in-built
- Max SPL : 124.5dB



WP12CX

High performance weatherized coaxial loudspeaker

- Components: 1×12" LF, 1×1" exit coaxial HF
- Power Handling: 350W RMS
- Impedance: 8 ohm
- Max SPL: 129dB



WCX15L-500

High performance weatherized coaxial line array loudspeaker

- Components : 1×15" LF, 1×1.4" exit coaxial HF
- Power Handling : 500W RMS
- Impedance : 8 ohm
- Max SPL : 136dB



WP312

Weatherised 3-way line array loudspeaker

- Components : 2×12" LF, 2 x 1.4" exit coaxial HF+MF neodymium driver
- Power Handling : 800W RMS LF, 300W RMS MF+HF
- Impedance : 8 ohm LF, 16 ohm MF+HF
- Max SPL : LF 136dB, MF+HF 140dB



SUBWOOFERS

VAL AUDIO FEATURE HIGH PERFORMANCE HIGH OUTPUT SUBWOOFERS DESIGNED TO MEET ANY AND ALL LOW FREQUENCY REINFORCEMENT APPLICATIONS FROM HOME THEATRES, AUDITORIUMS, BARS & CLUBS AND TOURING APPLICATIONS.

www.valaudio.com/subwoofers/



ICOMM PSW200



High performance active subwoofer

- Components : 1×12" LF
- Power Handling : 200W RMS / 800W peak
- Active, amplifier in-built
- Down firing woofer



X118P



High performance vented active subwoofer

- Components: 1×18" LF
- 3000W PEAK / 1500 RMS power output
- Class leading 134 dB max SPL
- Integrated DSP, line input



SW118HP



High performance vented subwoofer

- Components : 1×18" LF
- Handling : 1000W RMS
- Impedance : 4 ohm
- Max SPL : 135dB

www.valaudio.com/subwoofers/

VAL audio
Die Liebe zur Musik



SW218HP

Ultra high performance
direct radiating subwoofer

- Components : 2x18" LF
- Power Handling : 2500W RMS
- Impedance : 4 ohm
- Max SPL : 139 dB



SW218UHP


Ultra high performance
direct radiating subwoofer

- Components : 2x18" LF
- Power Handling : 3000W RMS
- Impedance : 4 ohm
- Max SPL : 141 dB



SUBWOOFERS

VAL Audio subwoofers are engineered to deliver deep, powerful low-frequency performance with exceptional clarity and control. Designed for live sound, installations, and touring applications, they provide impactful bass that enhances the overall audio experience. Built with premium components and robust enclosures, they ensure reliability even in demanding environments. With precise acoustic design and high power handling, VAL subwoofers create tight, dynamic bass for professional sound reinforcement systems.



PROFESSIONAL AMPLIFIERS

VAL AUDIO OFFERS CLASS LEADING AMPLIFICATION FOR POWERING OUR SPEAKERS OFFERING MODERN CLASS H AND CLASS D SOLUTIONS.

www.valaudio.com/professional-amplifiers/



X4.8



Professional power amplifiers

- 4 channel amplifier, 4x850W at 4 ohms
- Class H with toroidal transformer PSU
- 2U frame size
- Legendary VAL performance and reliability



X4.14



Professional power amplifiers

- 4 channel amplifier, 4x1400W at 4 ohms
- Class H with toroidal transformer PSU
- 2U frame size
- Legendary VAL performance and reliability



X4.15



Professional power amplifiers

- 4 channel amplifier, 4x1500W at 4 ohms
- Class H with toroidal transformer PSU
- 2U frame size
- Legendary VAL performance and reliability



X2.15



Professional power amplifiers

- 2 channel amplifier, 2x1500W at 4 ohms
- Class H with toroidal transformer PSU
- 2U frame size
- Legendary VAL performance and reliability



X2.22



Professional power amplifiers

- 2 channel amplifier, 2x2200W at 4 ohms
- Class H with toroidal transformer PSU
- 2U frame size
- Legendary VAL performance and reliability



X2.35



Professional power amplifiers

- 2 channel amplifier, 2x3500W at 4 ohms
- Class D with toroidal transformer PSU
- 2U frame size
- Legendary VAL performance and reliability



V40



Professional power amplifiers

- 4 channel, 4x600W at 4 ohms
- Class D
- 1U frame size
- Ultra Lightweight only 5.9 Kg

PROFESSIONAL AMPLIFIERS

VAL Audio presents a range of class-leading power amplifiers engineered to deliver exceptional power, remarkable warmth, and unmatched versatility. Designed to meet the demands of both touring professionals and fixed installation applications, these state-of-the-art amplifiers embody the legendary performance and reliability that define VAL Audio. Our range includes both analog and advanced Class D digital amplifiers, housed in sleek and modern 1U and 2U chassis. Whether you're looking for compact solutions or high-power systems, VAL Audio amplifiers are crafted to exceed expectations and deliver pristine audio quality in every setting. Choose VAL Audio for cutting-edge design, reliable performance, and versatile solutions tailored for the modern audio professional.

COMMERCIAL AMPLIFIERS

VAL AUDIO OFFERS A RANGE OF MIXER & ZONE AMPLIFIERS FOR FIXED INSTALLATION
FEATURING RICH AND AN INSTALLERS DELIGHT.

www.valaudio.com/commercial-amplifiers/



MA120

Mixer amplifier

- Max power output 120W
- 3 aux and 2 mic inputs
- 4-16 ohm, 70V/100V output
- Bluetooth / USB / FM receiver with LCD display



MA480

Mixer amplifier

- Max power output 480W
- 3 aux and 2 mic inputs
- 4-16 ohm, 70V/100V output
- USB / FM / Bluetooth media player



ZA8100

4 Stereo zone amplifier

- 100W per channel, 4 stereo zone amplifier
- Individual volume control on each zone
- 2 RCA + 1 Mic input
- Bluetooth / USB / SD card/ FM receiver



www.valaudio.com/commercial-amplifiers/

VAL audio
Die Liebe zur Musik

SMART SOLUTIONS

VAL AUDIO COMBINE INNOVATION AND ADVANCED TECHNOLOGY TO CREATE INTELLIGENT AUDIO SOLUTIONS TAILORED FOR MODERN APPLICATIONS.

www.valaudio.com/smart-solutions/




MX82

Intelligent Automixer



- 8 input 2 output intelligent mixer
- Intelligent feedback suppression
- LCD display
- Easy front panel operation



IFS22

Intelligent Feedback Suppressor



- Real-time adaptive feedback suppression
- Natural sound clarity with precise notch filtering
- Dual XLR I/O with phantom power
- Compact 1U rackmount design



VP800

Smart Power Management System



- MCU-Controlled Precision
- Eight Channels of Adjustable Power
- Front-Mounted Open Power Sockets
- Flexible Voltage Protection

SMART SOLUTIONS

With VAL Audio's Smart Products, experience smarter, more efficient audio solutions for today's dynamic needs.

MICROPHONES

A WIDE RANGE OF MICROPHONES DESIGNED TO SUIT
THE MOST DISCERNING APPLICATION AND USER.

www.valaudio.com/microphones/



VM5v

Wired dynamic professional
microphone

- Dynamic microphone
- Cardioid polar pattern
- Rugged zinc die-cast body
- XLR-M connector



VM5i

Wired dynamic professional
microphone

- Dynamic microphone
- Cardioid polar pattern
- Rugged zinc die-cast body
- XLR-M connector



VGN-TTM

Table-Top Conference Microphone

- Electret condenser capsule
- Ultra-cardioid directivity
- 220mm adjustable aluminum mini shotgun design
- Rugged aluminum alloy base with rubberized ON/OFF switch



VGN18C

Wired Gooseneck Professional Microphone

- Electret condenser capsule
- Cardioid polar pattern
- 23" gooseneck length
- Rugged metal base with rubberized ON/OFF switch





PRO4500-HD

High performance Digital wireless microphone system

- Two wireless handheld microphone set
- Quick setup via sync and IR
- 200 selectable frequencies per receiver
- True diversity 1U 19" rack mount receiver



PRO4500-LD

High performance Digital wireless microphone system

- Two bodypack lavalier wireless microphone set
- Quick setup via sync and IR
- 200 selectable frequencies per receiver
- True diversity 1U 19" rack mount receiver



PRO4500-COMBO

High performance Digital wireless microphone system

- One handheld & one bodypack Lavalier wireless microphone set
- Quick setup via sync and IR
- 200 selectable frequencies per receiver
- True diversity 1U 19" rack mount receiver



PRO10000

High Performance UHF Digital Wireless Dual Handheld Microphone System

- Cutting-edge two wireless handheld microphone set
- Advanced PLL technology and ID lock system
- Pair transmitter and receiver using scan and IR sync feature
- True diversity 1U 19" rack mount receiver (200 selectable frequencies)



PRO-ATDS

High performance Antenna Distribution System

- Wideband operation from 450 – 950 MHz
- Distributes diversity antennas to 4 pairs of diversity outputs
- Provides power for receivers and for active antennas
- Rugged 19" rack-mountable metal chassis



VAL audio
Die Liebe zur Musik

DIGITAL SIGNAL PROCESSOR

VAL AUDIO OFFERS A RANGE OF DSP SOLUTIONS RANGING FROM LOUDSPEAKER MANAGEMENT SOLUTIONS TO MATRIX DSP SOLUTIONS

www.valaudio.com/digital-signal-processor/



SP48

High Performance Loudspeaker management system


- 4 input 8 output DSP
- 24 bit floating point DSP with 96KHz sampling rate
- Parametric EQ / Low-shelf / Hi-shelf / ALL PASS filters
- Front panel USB for easy PC connectivityvvvvv



DSP48

High performance loudspeaker management system

- 4 input 8 output DSP
- SHARC 400MHz 32/40 bit floating point DSP
- 96KHz sampling rate, ELNA capacitors
- PEQ / Low-shelf / Hi-shelf / ALL PASS filters



DSP88

High performance digital signal processor

- 8 input 8 output Matrix DSP
- SHARC, 40-bit floating point processor
- 24bit/48KHz sampling rate
- In-built USB sound card



DSP88-D

High performance digital signal processor

- 16 input 16 output Matrix DSP with Dante
- SHARC, 40-bit floating point processor
- 24bit/48KHz sampling rate
- In-built USB sound card



DSP1616-D



High performance digital signal processor

- 32 input 32 output Matrix DSP with Dante
- SHARC, 40-bit floating point processor
- 24bit/48KHz sampling rate
- In-built USB sound card

DSP

VAL Audio's Digital Signal Processors (DSPs) are cutting-edge solutions designed to deliver precise audio control and exceptional sound quality across various professional audio applications. Equipped with advanced processing capabilities, high-performance hardware, and seamless integration via USB, Ethernet, and RS232/485 connectivity, these DSPs are ideal for venues such as auditoriums, conference rooms, lecture theatres, and entertainment spaces. Featuring intuitive software for easy operation and tailored configurations, VAL Audio's DSPs redefine audio management, offering reliability and versatility for any demanding project.



DIGITAL CONFERENCE SYSTEM

CRYSTAL CLEAR SOUND USING THE LATEST
AUDIO-LINK DIGITAL TECHNOLOGY.

www.valaudio.com/digital-conference-system/



VCS2000D

Wired Digital network conference
system



- 4.3" touchscreen with built-in recorder & HDMI camera switcher
- Pro condenser mics with noise & feedback suppression
- Up to 250 units via modular wired expansion
- Premium Aluminium alloy build with sleek & modern finish

DIGITAL CONFERENCE SYSTEM

VAL audio offers a high performance, high quality sleek and modern Digital network conference system for conferences and meetings. Crystal clear sound using the latest AUDIO-LINK Digital technology.



VAL audio

Die Liebe zur Musik

CONTACT



contact@valaudio.com



Instagram



Facebook

Maybachstraße 37, 51381 Leverkusen, Germany